



VINES: USE RESTRICTIONS

The use of Luna® Privilege / Luna® Experience and Profiler® on wine and table grapes during the 2016 / 2017 season are hereby restricted to:

- **For the control of Powdery mildew:** A maximum of two Luna® Privilege or Luna® Experience applications per season at the registered rate of 10 ml / 100 l (Luna® Privilege) or 18.75 ml / 100 l (Luna® Experience) with a maximum water volume of 1500 l water / ha. The second treatment must be applied not later than berries great-sized, bunch begin to hang (not later than BBCH 73, Figure 2). No applications of Profiler® (fluopicolide) are allowed;

OR

- **For the control Botrytis rot:** A single Luna® Privilege application per season at the registered rate of 35 ml / 100 l with a maximum water volume of 725 l / ha not later than the end of flowering (not later than BBCH 69, Figure 1). Therefore a maximum of 252 ml (126 g active ingredient) Luna® Privilege / ha can be applied per season. No applications of Profiler® (fluopicolide) are allowed;

OR

- **For the control of Downy mildew:** A maximum of two Profiler® applications per season at the registered rate of 225 g / 100 l with a maximum water volume of 1330 l water / ha. The second treatment must be applied not later than berries great-sized, bunch begin to hang (not later than BBCH 73, Figure 2). No applications of Luna® Privilege or Luna® Experience (fluopyram) are allowed;

OR

- **For the control of Downy mildew and Powdery mildew in a program:** One Luna® Privilege or Luna® Experience application (at the registered powdery mildew rates with a maximum water volume of 1500 l water / ha) and one Profiler® application (at the registered rate of 225 g / 100 l with a maximum water volume of 1330 l water / ha in a program). The second treatment of either Luna® Privilege, Luna® Experience or Profiler® must be applied not later than berries great-sized, bunch begin to hang (not later than BBCH 73, Figure 2). If Luna® Privilege or Luna® Experience and Profiler® are applied as a tank-mixture, the treatment must be applied not later than the end of flowering (not later than BBCH 69, Figure 1). No further applications of Luna® Privilege, Luna® Experience or Profiler® are allowed.

VINE GROWTH STAGES:



Figure 1: End of flowering (BBCH 69)



Figure 2: Berries great-sized, bunch begin to hang (BBCH 73).

Luna® Experience Reg. No. L9436 (Act No. 36 of 1947), **ACTIVE INGREDIENTS:** Fluopyram (Pyridinylethylbenzamide) 200 g/l and Tebuconazole (Triazole) 200 g/l. **CAUTION.**

Luna® Privilege Reg. No. L8997 (Act No. 36 of 1947), **ACTIVE INGREDIENT:** Fluopyram (Pyridinylethylbenzamide) 500 g/l. **CAUTION.**

Profiler® Reg. No. L8596 (Act No. 36 of 1947) **ACTIVE INGREDIENTS:** Fluopicolide (pyridinylmethylbenzamide) 44,4 g/kg and Fosetyl-AI (Alkyl phosphonate) 666.7 g/kg. **CAUTION.**

Luna® and Profiler® are registered trademarks of the Bayer Group.

Bayer